ELSEVIER

Neuroscience Letters 234 (1997) 169–171

Neuroscience Letters

Author Index to Volume 234

Abdullaev, Y.G., Melnichuk, K.V., Cognitive operations in the human caudate nucleus, 151
Allen, D.D., Galdzicki, Z., Brining, S.K., Fukuyama, R., Rapoport, S.I., Smith, Q.R., Beta-amyloid induced increase in choline flux across PC12 cell membranes, 71
Arai, N., see Takeda, A., 63
Arreaza, G., Devane, W.A., Omeir, R.L., Sajnani, G., Kunz, J., Cravatt, B.F., Deutsch, D.G., The cloned rat hydrolytic enzyme responsible for the breakdown of anandamide also catalyzes its formation via the condensation of arachidonic acid and ethanolamine, 59
Axelman, K., see Forsell, C., 3

Baker, L.P., Storm, D.R., Dynamic palmitoylation of neuromodulin (GAP-43) in cultured rat cerebellar neurons and mouse N1E-115 cells, 156
Baron, P., Scarpini, E., Pizzul, S., Zotti, F., Conti, G., Pleasure, D., Scarlato, G., Immunocytochemical expression of human muscle cell p75 neurotrophin receptor is down-regulated by cyclic adenosine 3′,5′-monophosphate, 79
Baubichon, D., see Dematteis, M., 91
Benoit, E., see Mattei, C., 75
Bezard, E., Dovero, S., Bioulac, B., Gross, C.E., Kinetics of nigral degeneration in a chronic model of MPTP-treated mice, 47
Bioulac, B., see Bezard, E., 47
Bioulac, B., see Richard, I., 99
Boireau, A., Bordier, F., Dubédat, P., Pény, C., Impérato, A., Thalidomide reduces MPTP-induced decrease in striatal dopamine levels in mice, 123
Boisliveau, R., see Richard, I., 99
Bordier, F., see Boireau, A., 123
Bortolotto, S., see Piva, R., 127
Braunewell, K.-H., Gundelfinger, E.D., Low level expression of calcium-sensor protein VILIP induces cAMP-dependent differentiation in rat C6 glioma cells, 139
Bravo, H., Inzunza, O., Fernández, V., Sanhueza, M., Distribution of NADPH-d positive neurons during postnatal development of the rat somatosensory cortex correlates with gradients of neurogenesis and development, 103
Breukel, A.I.M., Lopes da Silva, F.H., Ghijsen, W.E.J.M., Cholecystokinin (CCK-8) modulates vesicular release of excitatory amino acids in rat hippocampal nerve endings, 67
Brining, S.K., see Allen, D.D., 71
Burghoff, M., see Curio, G., 131

Campbell, I.L., see Castelnau, P.A., 15
Canlon, B., see Shvarev, Y.N., 55
Carlson, G.A., see Chishti, M.A., 11
Castelnau, P.A., Campbell, I.L., Powell, H.C., Prion protein (PrP) is not involved in the pathogenesis of spongiform encephalopathy in transgenic mice expressing interleukin-6 in the brain, 15
Cavalla, P., see Piva, R., 127
Chikuma, T., see Takeda, K., 115
Chishti, M.A., Strome, R., Carlson, G.A., Westaway, D., Syrian hamster prion protein (PrP^C) is expressed in photoreceptor cells of the adult retina, 11
Conti, G., see Baron, P., 79
Cordera, S., see Piva, R., 127
Costello, P.A., see Pardo, J.V., 23
Cousin, B., Leloup, C., Pénicaud, L., Price, J., Developmental changes in integrin β-subunits in rat cerebral cortex, 161
Cowburn, R.F., see Forsell, C., 3
Cravatt, B.F., see Arreaza, G., 59
Curio, G., Mackert, B.-M., Burghoff, M., Neumann, J., Nolte, G., Scherg, M., Marx, P., Somatotopic source arrangement of 600 Hz oscillatory magnetic fields at the human primary somatosensory hand cortex, 131

Dahlkild, Å., see Forsell, C., 3
Dematteis, M., Mallaret, M., Baubichon, D., Pernot-Marino, I., Lallement, G., Evaluation of dextromethorphan and dextrorphan as a preventive treatment of soman toxicity in mice, 91
Deutsch, D.G., see Arreaza, G., 59
Devane, W.A., see Arreaza, G., 59
Dovero, S., see Bezard, E., 47
Dubédat, P., see Boireau, A., 123
Dudel, J., see Schramm, M., 31
Dun, N.J., Dun, S.L., Hwang, L.L., Nociceptin-like immunoreactivity in autonomic nuclei of the rat spinal cord, 95
Dun, S.L., see Dun, N.J., 95

Engvall, B., see Forsell, C., 3

Fernández, V., see Bravo, H., 103
Fink, G., see Sumner, B.E.H., 7
Fischer, A., see Kummer, W., 35
Forsell, C., Froelich, S., Axelman, K., Vestling, M., Cowburn, R.F., Lilius, L., Johnston, J.A., Engvall, B., Johansson, K., Dahlkild, Å., Ingelson, M., St. George-Hyslop, P.H., Lannfelt, L., A novel pathogenic mutation (Leu262Phe) found in the presenilin 1 gene in early-onset Alzheimer's disease, 3
Froelich, S., see Forsell, C., 3
Fukuyama, R., see Allen, D.D., 71

Galdzicki, Z., see Allen, D.D., 71
Gerard, C., see Saria, A., 27
Ghijsen, W.E.J.M., see Breukel, A.I.M., 67
Gross, C.E., see Bezard, E., 47
Guglielmi, M., see Richard, I., 99
Guiheneuc, P., see Richard, I., 99
Gundelfinger, E.D., see Braunewell, K.-H., 139
Gwak, Y.S., see Leem, J.W., 39

0304-3940/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved
PII S0304-3940(97)00717-9

Hauser, K.F., see Saria, A., 27
Hersh, L., see Saria, A., 27
Hwang, L.L., see Dun, N.J., 95

Impérato, A., see Boireau, A., 123
Ingelson, M., see Forsell, C., 3
Inzunza, O., see Bravo, H., 103
Iseki, E., see Takeda, A., 63
Ito, T., see Takeda, K., 115

Janáky, R., see Jenei, Z., 83
Jeanningros, R., see Kulikov, A., 111
Jenei, Z., Varga, V., Janáky, R., Saransaari, P., Oja, S.S., Ligand binding to porcine ionotropic glutamate receptors with chemically modified arginyl residues, 83
Johansson, K., see Forsell, C., 3
Johnston, J.A., see Forsell, C., 3
Juzans, P., see Mattei, C., 75

Kato, S., see Takeda, A., 63
Kato, T., see Takeda, K., 115
Kerwin, R.W., see Mulcrone, J., 147
Klimaschewski, L., Regulation of galanin in rat sympathetic neurons in vitro, 87
Klishin, V.O., see Popov, V.V., 51
Komori, T., see Takeda, A., 63
Kulikov, A., Torrésani, J., Jeanningros, R., Experimental hypothyroidism increases immobility in rats in the forced swim paradigm, 111
Kummer, W., Fischer, A., Nociceptin and its receptor in guinea-pig sympathetic ganglia, 35
Kunz, J., see Arreaza, G., 59

Lallement, G., see Dematteis, M., 91
Lamb, H., see Singleton, A.B., 19
Lannfelt, L., see Forsell, C., 3
Leake, A., see Singleton, A.B., 19
Lee, J.T., see Pardo, J.V., 23
Lee, Y.-J., see Oh, Y., 107
Leem, J.W., Gwak, Y.S., Nam, T.S., Paik, K.S., Involvement of α_2-adrenoceptors in mediating sympathetic excitation of injured dorsal root ganglion neurons in rats with spinal nerve ligation, 39
Legrand, A.-M., see Mattei, C., 75
Leloup, C., see Cousin, B., 161
Lilius, L., see Forsell, C., 3
Liu, S.H., Sheu, T.J., The in vivo effect of lipopolysaccharide on Na^+,K^+-ATPase catalytic (α) subunit isoforms in rat sciatic nerve, 166
Lopes da Silva, F.H., see Breukel, A.I.M., 67

Mackert, B.-M., see Curio, G., 131
Mallaret, M., see Dematteis, M., 91
Marques, M.J., Santo Neto, H., Ciliary neurotrophic factor stimulates in vivo myotube formation in mice, 43
Marsden, C.A., see Rowley, H.L., 143
Martin, K.F., see Rowley, H.L., 143
Marx, P., see Curio, G., 131
Mathé, J.-F., see Richard, I., 99
Mattei, C., Benoit, E., Juzans, P., Legrand, A.-M., Molgó, J., Gambiertoxin (CTX-4B), purified from wild *Gambierdiscus toxicus* dinoflagellates, induces Na^+-dependent swelling of single frog myelinated axons and motor nerve terminals in situ, 75
Mauduyt de la Gréve, I., see Richard, I., 99
Mazarati, A.M., Wasterlain, C.G., Blockers of NMDA receptors restore paired-pulse inhibition in the rat dentate gyrus lesioned by perforant path stimulation, 135
McKeith, I.G., see Singleton, A.B., 19
Melnichuk, K.V., see Abdullaev, Y.G., 151
Molgó, J., see Mattei, C., 75
Morris, C.M., see Singleton, A.B., 19
Mulcrone, J., Kerwin, R.W., The regional pattern of D4 gene expression in human brain, 147

Nakata, K., see Takeda, K., 115
Nam, T.S., see Leem, J.W., 39
Neumann, J., see Curio, G., 131
Nolte, G., see Curio, G., 131
Novotná, R., Novotny, I., Stimulatory effect of bombesin on phosphoinositide metabolism in the rat pineal gland, 119
Novotny, I., see Novotná, R., 119

Oda, M., see Takeda, A., 63
Oh, Y., Lee, Y.-J., Waxman, S.G., Regulation of Na^+ channel $\beta 1$ and $\beta 2$ subunit mRNA levels in cultured rat astrocytes, 107
Oja, S.S., see Jenei, Z., 83
Omeir, R.L., see Arreaza, G., 59

Paik, K.S., see Leem, J.W., 39
Pardo, J.V., Wood, T.D., Costello, P.A., Pardo, P.J., Lee, J.T., PET study of the localization and laterality of lingual somatosensory processing in humans, 23
Pardo, P.J., see Pardo, J.V., 23
Pénicaud, L., see Cousin, B., 161
Pény, C., see Boireau, A., 123
Pernot-Marino, I., see Dematteis, M., 91
Perrouin-Verbe, B., see Richard, I., 99
Perry, R.H., see Singleton, A.B., 19
Piva, R., Cavalla, P., Bortolotto, S., Cordera, S., Richiardi, P., Schiffer, D., p27/kip1 expression in human astrocytic gliomas, 127
Pizzul, S., see Baron, P., 79
Pleasure, D., see Baron, P., 79
Popov, V.V., Supin, A.Y., Klishin, V.O., Paradoxical lateral suppression in the dolphin's auditory system: weak sounds suppress response to strong sounds, 51
Powell, H.C., see Castelnau, P.A., 15
Price, J., see Cousin, B., 161

Rapoport, S.I., see Allen, D.D., 71
Richard, I., Guglielmi, M., Boisliveau, R., Perrouin-Verbe, B., Mauduyt de la Gréve, I., Bioulac, B., Guiheneuc, P., Mathé, J.-F., Load compensation tasks evoke tremor in cerebellar patients: the possible role of long latency stretch reflexes, 99
Richiardi, P., see Piva, R., 127
Rowley, H.L., Marsden, C.A., Martin, K.F., Generalised seizure-induced changes in rat hippocampal glutamate but not GABA release are potentiated by repeated seizures, 143

Sajnani, G., see Arreaza, G., 59
Sanhueza, M., see Bravo, H., 103
Santo Neto, H., see Marques, M.J., 43
Saransaari, P., see Jenei, Z., 83
Saria, A., Hauser, K.F., Traurig, H.H., Turbek, C.S., Hersh, L., Gerard, C., Opioid-related changes in nociceptive threshold and in tissue levels of

enkephalins after target disruption of the gene for neutral endopeptidase (EC 3.4.24.11) in mice, 27
Scarlato, G., see Baron, P., 79
Scarpini, E., see Baron, P., 79
Scherg, M., see Curio, G., 131
Schiffer, D., see Piva, R., 127
Schramm, M., Dudel, J., Metabotropic glutamate autoreceptors on nerve terminals of crayfish muscle depress or facilitate release, 31
Sheu, T.J., see Liu, S.H., 166
Shvarev, Y.N., Canlon, B., The effect of stereocilia bundle position on receptor potential characteristics of isolated outer hair cells in the guinea pig, 55
Singleton, A.B., Lamb, H., Leake, A., McKeith, I.G., Perry, R.H., Morris, C.M., No association between an intronic polymorphism in the presenilin-1 gene and Alzheimer's disease, 19
Smith, Q.R., see Allen, D.D., 71
St. George-Hyslop, P.H., see Forsell, C., 3
Storm, D.R., see Baker, L.P., 156
Strome, R., see Chishti, M.A., 11
Sumner, B.E.H., Fink, G., The density of 5-hydoxytryptamine$_{2A}$ receptors in forebrain is increased at pro-oestrus in intact female rats, 7
Supin, A.Y., see Popov, V.V., 51

Takeda, A., Arai, N., Komori, T., Iseki, E., Kato, S., Oda, M., Tau immunoreactivity in glial cytoplasmic inclusions in multiple system atrophy, 63
Takeda, K., Nakata, K., Chikuma, T., Ito, T., Kato, T., Chemical kindling induced by pentylenetetrazol changes cholecystokinin mRNA and peptide levels in rat frontal cortex, 115
Torrésani, J., see Kulikov, A., 111
Traurig, H.H., see Saria, A., 27
Turbek, C.S., see Saria, A., 27

Varga, V., see Jenei, Z., 83
Vestling, M., see Forsell, C., 3

Wasterlain, C.G., see Mazarati, A.M., 135
Waxman, S.G., see Oh, Y., 107
Westaway, D., see Chishti, M.A., 11
Wood, T.D., see Pardo, J.V., 23

Zotti, F., see Baron, P., 79